# **Metadata report**



Part II: Product-specific information on the use of the PEPP statistic 2021 for on-site use

DOI: 10.21242/23141.2021.02.00.1.1.0 (remote execution) 10.21242/23141.2021.02.00.2.1.0 (safe centre)

Version 1

#### **Imprint**

Publisher: Statistical Offices of the Federation and the Federal States Production: Information and Technology North Rhine-Westphalia

Telefone +49 211 9449-01 • Telefax +49 211 9449-8000

Internet: <a href="www.forschungsdatenzentrum.de">www.forschungsdatenzentrum.de</a> E-Mail: forschungsdatenzentrum@it.nrw.de

#### **Specialist Information**

on this publication:

#### Information about data range

Federal Statistical Office Research Data Centre

Tel.: +49 611 75-2420 Fax: +49 611 75-3915

forschungsdatenzentrum@destatis.de

Federal Statistical Office Research Data Centre

Tel.: +49 611 75-2420 Fax: +49 611 75-3915

forschungsdatenzentrum@destatis.de

Research Data Centre of the Statistical Offices of the Federal States – branch office –

Tel.: +49 211 9449-2873 Fax: +49 211 9449-8087

forschungsdatenzentrum@it.nrw.de

Periodicity: irregular

Published in February 2023

A PDF version of this publication can be downloaded for free at www.forschungsdatenzentrum.de

© Information and Technology North Rhine-Westphalia, Düsseldorf, 2023 (on behalf of the editorial community)

Reproduction and distribution, in whole or in part, permitted provided the source is acknowledged. All other rights remain reserved.

Photo rights cover: @artSILENCEcom - Fotolia.com

#### Recommended citation:

Research Data Centres of the Federal Statistical Office and the Federal States: Metadata report. Part II: Product-specific information on the use of the PEPP statistic 2021 for on-site use (EVAS-Number: 23141). Version 1. DOI: 10.21242/23141.2021.00.02.1.1.0 (remote execution), 10.21242/23141.2021.00.02.2.1.0 (safe centre). Wiesbaden 2021.

## **Metadata report**

Part II: Product-specific information on the use of the *PEPP statistic 2021 for on-site use* 

DOI: 10.21242/23141.2021.00.02.1.1.0 (remote execution) 10.21242/23141.2021.00.02.2.1.0 (safe centre)

Version 1



## Content

1	Data preparation by the RDC	5
	1.1 Data preparation	
	1.2 Anonymisation measures	5
	1.3 Method of linkage	5
2	Product	6
	2.1 Characteristics and variable definition	6
	2.2 Comparability of characteristics over time	16
	2.3 Basic values of relevant characteristics and characteristic combinations	17
	2.4 Evaluable regional level	21
3	Practical advice	21
	3.1 Notes on secrecy	21
	3.1.1 Legal bases of statistical confidentiality	21
	3.1.2 Confidentiality of results	22
	3.1.3 Practical tips for avoiding confidentiality cases	22
	3.2 FAQ	22
	3.3 Available tools	23

#### 1 Data preparation by the RDC

#### 1.1 Data preparation

All auxiliary features and direct identifiers have been deleted from the data as they may not be provided for reasons of anonymisation. The hospital-ID (ik), the discharging facility (entl\_ort), and the number of the hospital case (fall\_nr) are replaced by system-free identifiers.

Furthermore, the data is filtered so that only fully inpatient hospital cases that are charged according to the fixed rate payment system for psychiatry and psychosomatics (PEPP) are being kept in the data (typ\_fall = 1 and typ\_bereich = 2).

#### 1.2 Anonymisation measures

To maintain confidentiality, the third gender must not be published. The characteristics "diverse" and "undefined" are randomly assigned to the categories "male" and "female".

Apart from replacing the direct identifiers with system-free numbers, the RDC did not take any measures to further anonymise the data.

#### 1.3 Method of linkage

Since no data was linked to create this product, this point is omitted.

## 2 Product

#### 2.1 Characteristics and variable definition

Variable	Label	Format*	Length	Content	Missing values	Comments
kh_land	Land of the hospital	а	2	01 = Schleswig-Holstein 02 = Hamburg 03 = Niedersachsen 04 = Bremen 05 = Nordrhein-Westfalen 06 = Hessen 07 = Rheinland-Pfalz 08 = Baden-Württemberg 09 = Bayern 10 = Saarland 11 = Berlin 12 = Brandenburg 13 = Mecklenburg-Vorpommern 14 = Sachsen 15 = Sachsen-Anhalt 16 = Thüringen		classified according to the AGS as of December 31 of the reporting year.
kh_rb	Administrative region of the hospital	а	1	0 – 9		classified according to the AGS as of December 31 of the reporting year.  Evaluations at this regional level not possible for confidentiality reasons.
kh_kreis	District of the hospital	а	2	0 – 93		classified according to the AGS as of December 31 of the reporting year.  Evaluations at this regional level not possible for confidentiality reasons.
kh_gem	Municipality of the hospital	а	3	0 – 632		classified according to the AGS as of December 31 of the reporting year.  Evaluations at this regional level not possible for confidentiality reasons.
kh_plz	Postal code of the hospital	а	5	1067 – 99976		classified according to the AGS as of December 31 of the reporting year. Evaluations at this regional level not possible for confidentiality reasons.

kh_typ_gem3	Type of region of the hospital	а	2	01 = urban region 02 = region with rudimentary urban growth 03 = rural region		Explanations at www.bbsr.bund.de
pat_land	Federal state of the patient	а	2	01 = Schleswig-Holstein 02 = Hamburg 03 = Niedersachsen 04 = Bremen 05 = Nordrhein-Westfalen 06 = Hessen 07 = Rheinland-Pfalz 08 = Baden-Württemberg 09 = Bayern 10 = Saarland 11 = Berlin 12 = Brandenburg 13 = Mecklenburg-Vorpommern 14 = Sachsen 15 = Sachsen-Anhalt 16 = Thüringen au = foreign un = unknown		classified according to the AGS as of December 31 of the reporting year.  Recommended filter: for reasons of confidentiality, filter out the characteristics "au = foreign" and "un = unknown"
pat_rb	Administrative region of the patient	а	1	0 – 9 a = foreign u = unknown		
pat_kreis	district of the patient	а	2	00 – 93 au = foreign un = unknown		
pat_gem	Municipality of the patient	а	3	0 – 999 aus = foreign unb = unknown		
pat_ags5	district of the patient (five-digit in accordance with AGS)	а	5	01001 – 16077 ausaa = foreign unbuu = unknown		
pat_typ_gem3	Type of region oft he patient	а	2	01 = uraban region 02 = region with rudimentary urban growth 03 = rural region	yes	Explanations at www.bbsr.bund.de
sex	Sex	а	1	m = male w = female u = unknown		
sex_orginal	Sex	а	1	m = male w = female d = gender diverse x = undefined		Evaluations are not possible for reasons of confidentiality. Use the variable "sex" for evaluations according to gender.
alter typ_alter	Age in years  Age (grouped)	n	8	999 = unknown 1 = 0 years		Recommended filter: for reasons of confidentiality, filter out the characteristics "999 = unknown"  Recommended filter: for reasons of confidentiality, filter

				2 = 1 to 4 years 3 = 5 to 9 years 4 = 10 to 14 years 5 = 15 to 19 years 6 = 20 to 24 years 7 = 25 to 29 years 8 = 30 to 34 years 9 = 35 to 39 years 10 = 40 to 44 years 11 = 45 to 49 years 12 = 50 to 54 years 13 = 55 to 59 years 14 = 60 to 64 years 15 = 65 to 69 years 16 = 70 to 74 years 17 = 75 to 79 years 18 = 80 to 84 years 19 = 85 to 89 years 20 = 90 to 94 years 21 = 95 to 110 years 22 = unknown		out the characteristics "22 0 unknown"
geb_jahr	Year of Birth	n	8	four-digit information on year of birth (YYYY)		
geb_monat	Month of birth (only for under one-year-olds)	n	8	0 = 1 year and older 1 = 1 month 2 = 2 month 3 = 3 month 4 = 4 month 5 = 5 month 6 = 6 month 7 = 7 month 8 = 8 month 9 = 9 month 10 = 10 month 11 = 11 month 12 = 12 month		
alter_tage	Age in days (only for children up to the age of one)	n	8	0 = 1 year and older		This information is only given for children up to the age of 1 years. It is needed for assignment of DRG. In case of newborns with day of admission = date of birth, "1" has to be stated.
typ_geb	Further information on newborns: admission in month of birth	n	3	1 = yes 2 = no	yes	
aufn_anl	Cause of admission	а	1	E = referral by a physician Z = referral by a dentist N = emergency R = admission after prior treatment in a rehabilitaion facility V = transfer with a duration of therapy of over 24 hours at transfering hospital		Newborns, who are discharged toether with their mother, need to be indicated as '06' (birth) as reason for admission and 'G' as cause of admission. In case of a newborn is not being released together with its mother, their reason of admission needs to be indicated as '01' and the cause of admission needs to be indicated as 'G'.

				A = transfer with a duration of therapy of up to 24 hours at transfering hospital (for admissions after 1.1.2007)		
aufn_grd	Reason for admission	n	3	1 = hospital treatment, full inpatient 2 = hospital treatment, full inpatient with previous preadmission treatment 5 = inpatient childbirth 7 = readmission due to complications (flat rate per case) according to KFPV 2003 8 = inpatient admission for organ removal		
aufn_gew	Weight of admission in grams (only for children up to the age of one)	n	8	. = 1 year and older	yes	Only for children up to the age of one; in case of newborns the birth weight counts.
beatm	Time of respiration in hours	n	8		yes	
entl_grd	Cause of discharge	n	3	1 = regular termination of treatment 2 = regular termination of treatment, post-discharge treatment intended 3 = treatment terminated against medical advice 5 = changes in responsibility of cost unit (in days-related charges) 6 = transfer to another hospital 7 = death 8 = tranfer to another hospital as part of a cooperation 9 = discharge into a rehabilitation facility 10 = discharge into a long-term care facility 11 = discharge into a hospice 13 = external transfer for psychiatric treatment 14 = treatment terminated for other reasons, post-discharge treatment intended 15 = treatment terminated against medical advice, post-discharge treatment intended 17 = internal transfer with change in remuneration areas of DRGs, of the Federal Ordinance on Hospital Rates or for special facilities according to section 17b subsection 1 sentence 15 of the KHG 22 = case end (internal transfer) when changing between full, part-time inpatient and inpatient equivalent treatment (inpatient equivalent available as of reporting year 2018) 25 = Discharge at the end of the year while admitted the year before (for accounting purposes, § 4 PEPPV 2013) (category available as of reporting year 2014) 28 = regular termination of treatment, ventilated discharged 29 = regular termination of treatment, ventilated transferred 30 = regular termination of treatment, transition to transitional care - for hospital cases recorded after 1.11.2021 99 = Cause of discharge missing		Category "13" relates to a subset of hospitals, being summarised as '6' formerly. Category "6" is now only relating to external transfers to hospitals, if there is not a transfer to a psychiatric or psychosomatic department.

icd_hd3	ICD code three-digit	а	3			Diagnosis code in the current ICD-10GM version
to de la de	primary diagnosis		4			analogously to § 301 agreement.
icd_hd4	ICD code four-digit primary diagnosis	а	4			Diagnosis code in the current ICD-10GM version analogously to § 301 agreement.
icd hd	ICD code five-digit	а	5			Diagnosis code in the current ICD-10GM version
icu_iiu	primary diagnosis	а	J			analogously to § 301 agreement.
icd nd1 -	ICD code secondary	а	5		ves	Diagnosis code in the current ICD-10GM version
icd_nd89	diagnosis		,		,	analogously to § 301 agreement.
dia_art1 - dia_art90	Diagnosis type	а	5	HD = main diagnosis ND = secondary diagnosis (Nebendiagnose) SD = secondary diagnosis (Sekundärdiagnose) UN = unknown	yes	This further information on ICD variables of diagnosis is not available as checked for plausibility. Therefore, this information only contains valid values at ICD codes, which are not adjusted in the process of plausibility checks. ICD codes, which have been adjusted due to plausibility checks, contain "UN" in the according further information. Variable dia_art1 is refering to the primary diagnoses. Variables dia_art2 to dia_art90 are refering to the secondary diagnoses 1 to 89.
icd_ve1 - icd_ve90	ICD version	n	4	four-digit information on reporting year (YYYY) 9999 = unknown	yes	This further information on ICD variables of diagnosis is not available as checked for plausibility. Therefore, this information only contains valid values at ICD codes, which are not adjusted in the process of plausibility checks. ICD codes, which have been adjusted due to plausibility checks, contain "9999" in the according further information. Variable icd_ve1 is refering to the primary diagnoses. Variables icd_ve2 to icd_ve90 are refering to the secondary diagnoses 1 to 89.
icd_lo1 -icd_lo90	ICD localisation (further information on code of diagnosis)	а	1	R = right L = left B = double-sided U = unknown	yes	This further information on ICD variables of diagnosis is not available as checked for plausibility. Therefore, this information only contains valid values at ICD codes, which are not adjusted in the process of plausibility checks. ICD codes, which have been adjusted due to plausibility checks, contain "U" in the according further information. Variable icd_lo1 is refering to the primary diagnoses. Variables icd_lo2 to icd_lo90 are refering to the secondary diagnoses 1 to 89.
drgh	PEPP code (primary PEPP code, grouped by InEK)	а	4			
split	Splitting of the basic PEPP according to consumption of ressources, 5th digit of the PEPP notation	а	4	A = highest consumption of resources B = second highest consumption of resources C = third highest consumption of resources D = forth highest consumption of resources Z = not nuanced		
ops_ko1 - ops_ko101	OPS-code	а	6	99999 = unknown	yes	Procedure code in the current OPS version
typ_op	Operation according to	n	3	1 = yes		analogously to § 301 agreement.
.7k <k< td=""><td>chapter 5</td><td>.,</td><td></td><td>2 = no</td><td></td><td></td></k<>	chapter 5	.,		2 = no		
7 hol ones	Number of participation	_	8		V00	
z_bel_oper	Number of participation	n	0		yes	

	/ performance of external operators					
z_bel_an	Number of participation / performance of external anesthesists	n	8		yes	
z_bel_heb	Number of participation / performance of external midwives	n	8		yes	
bel_oper1- bel_oper101	external operators	а	1	J = yes, participation / performance of external operators N = no, no participation / performance of external operators U = unknown	yes	This further information on OPS-codes is not available as checked for plausibility. Therefore, this information only contains valid values at OPS codes, which are not adjusted in the process of plausibility checks. OPS-codes, which have been adjusted due to plausibility checks, contain "U" in the according further information.
bel_an1 - bel_an101	external anesthesists	а	1	J = yes, participation / performance of external anesthesists N = no, no participation / performance of external anesthesists U = unknown	yes	This further information on OPS-codes is not available as checked for plausibility. Therefore, this information only contains valid values at OPS codes, which are not adjusted in the process of plausibility checks. OPS-codes, which have been adjusted due to plausibility checks, contain "U" in the according further information.
bel_heb1 - bel_heb101	external midwives	а	1	J = yes, participation / performance of external midwives N = no, no participation / performance of external midwives U = unknown	yes	This further information on OPS-codes is not available as checked for plausibility. Therefore, this information only contains valid values at OPS codes, which are not adjusted in the process of plausibility checks. OPS-codes, which have been adjusted due to plausibility checks, contain "U" in the according further information.
ops_ve1 - ops_ve101	OPS-version	n	4	four-digit information on reporting year 9999 = unknown	yes	This further information on OPS-codes is not available as checked for plausibility. Therefore, this information only contains valid values at OPS codes, which are not adjusted in the process of plausibility checks. OPS-codes, which have been adjusted due to plausibility checks, contain "9999" in the according further information.
dat_ops1 - dat_ops101	OPS-date	а	8	date in format YYYYMMDD 9999999 = unknown	yes	This further information on OPS-codes is not available as checked for plausibility. Therefore, this information only contains valid values at OPS codes, which are not adjusted in the process of plausibility checks. OPS-codes, which have been adjusted due to plausibility checks, contain "99999999" in the according further information.
zeit_ops1 - zeit_ops101	OPS-time	а	4	time in format hhmm 9999 = unknown	yes	This further information on OPS-codes of diagnosis is not available as checked for plausibility. Therefore, this information only contains valid values at OPS codes,

ops_lo1 - ops_lo101	OPS-localisation (further information on OPS-code)	а	1	R = right L = left B = double-sided U = unknown	yes	which are not adjusted in the process of plausibility checks. OPS-codes, which have been adjusted due to plausibility checks, contain "9999" in the according further information.  This further information on OPS-codes of diagnosis is not available as checked for plausibility. Therefore, this information only contains valid values at OPS codes, which are not adjusted in the process of plausibility checks. OPS-codes, which have been adjusted due to plausibility checks, contain "U" in the according further information.
fab1 - fab100	Specialist departments	a	8	01 = internal medicine 0102 = focus geriatrics 0103 = focus cardiology 0104 = focus nephrology 0105 = focus haematology and internal oncology 0106 = focus endocrinology 0107 = focus gastroenterology 0108 = focus pneumology 0109 = focus rheumatology 0114 = focus pulmonary and bronchial medicine 0150 = tumour research 0151 = focus coloproktology 0152 = focus infectious diseases 0153 = focus diabetes 0154 = focus naturopathy 0156 = focus stroke patients (Stroke units, art. 7 § 1 (3) GKV-SolG)  02 = geriatrics 0224 = focus gynaecology 0260 = day-care hospital (for semi-stationary nursing charges) 0261 = night-care hospital (for semi-stationary nursing charges) 03 = cardiology 04 = nephrology 0410 = focus paediatrics 0436 = intensive care  05 = haematology and internal oncology 0510 = focus paediatrics 0524 = focus gynaecology 0533 = focus radiotherapeutics 06 = endocrinology 0607 = focus gastroenterology	yes	In addition to "00" the codes "90" and "92"can be used in the third and fourth digit to code specialised specialist departments, which are not coded with a national common specialist department code. Even though using this distinction of specialist departments, it is not needed to name the type of specialisation or the focus of the specialist department precisely. Both contracting parties need to determine the specialist department code (described above) within the nursing care rate agreement. This is the condition for the procedure.  Specialist department codes, for which it is possible to take 50 % APS intensive into account (in accordance with version of BPflV of 31.12.2003) and which department flat rate does not need to be reduced by 20 %, if a surcharge is charged simultaneously:  - 0436 - 1136 - 1536 - 2036 - 2050 - 2136 - 2150 - 36xx  Special arrangement for pseudo-specialist departments in ETL-segment of the discharging display: - 0000: pseudo-specialist department in reference to hospitals (relevant "specialist department" for DRG grouping) for internal transfers and / or return transfers and / or readmission and / or in case of external residence with absence over night 0001: pseudo-specialist department for residence in case of a return transfer - 0002: pseudo-specialist department for an external residence in case of a readmission
				0610 = focus paediatrics		- 0003: pseudo-specialist department for an external residence with absence over night in the BPfIV sector

0910 = focus paediatrics  10 = paediatrics 1004 = focus nephrology 1005 = focus haematology and internal oncology 1006 = focus haematology 1007 = focus paediatric description of the control of the cont	17 = neurosurgery  18 = vascular surgery
--	--

Landa de la companya	
19 = plastic surgery	ļ
CO. Marania amana	
20 = thoracic surgery	ļ
2021 = focus heart surgery	ļ
2036 = intensive care	ļ
2050 = focus heart surgery intensive care	ļ
Of the standard	ļ
21 = heart surgery	ļ
2118 = focus vascular surgery 2120 = focus thoracic surgery	
2136 = intensive care (§ 13 (2) 3, 2. BPfIV version released on 31.12.2003)	
2150 = focus thoracic surgery intensive care	
2150 – locus trioracic surgery intensive care	
22 = urology	
LE GIOLOGY	ļ
23 = orthopaedics	ļ
2309 = focus rheumatology	ļ
2315 = focus surgery	ļ
2316 = orthopaedics and trauma surgery	ļ
	ļ
24 = gynaecology and obstetrics	ļ
2402 = focus geriatrics	ļ
2405 = focus haematology and internal oncology	ļ
2406 = focus endocrinology	
2425 = gynaecology	
25 = obstetrics	
26 = otorhinolaryngology	
07 - anhibitational and	
27 = ophthalmology	
29 - nourology	
28 = neurology 2810 = focus paediatrics	
2851 = focus gerontology	
2852 = focus neurological early rehabilitation	
2856 = focus stroke patients (Stroke units, art. 7 § 1 (3)	
GKV-SolG)	
29 = general psychiatry	
2928 = emphasis neurology	
2930 = focus child and youth psychiatry	
2931 = focus psychosomatics / psychotherapy	
2950 = focus addiction treatment	
2951 = focus gerontological psychiatry	
2952 = focus forensic treatment	
2953 = focus addiction treatment, day-care hospital	
2954 = focus addiction treatment, night-care hospital	ļ
2005 - feare general entre la prophieta de como	
2955 = focus gerontological psychiatry, day-care	Ų

hospital 2956 = focus gerontological psychiatry, night-care hospital
2960 = day-care hospital (for semi-stationary nursing charges) 2961 = night-care hospital (for semi-stationary nursing charges)
30 = child and youth psychiatry 3060 = day-care hospital (for semi-stationary nursing charges) 3061 = night-care hospital (for semi-stationary nursing charges)
31 = psychosomatics / psychotherapy 3110 = focus child and youth psychiatry 3160 = day-care hospital (for semi-stationary nursing charges) 3161 = night-care hospital (for semi-stationary nursing charges)
32 = nuclear medicine 3233 = focus radiotherapeutics
33 = radiotherapeutics 3305 = focus haematology and internal oncology 3350 = focus radiology
34 = dermatology 3460 = day-care hospital (for semi-stationary nursing charges)
35 = dentistry and orthodontics, oral surgery
36 = intensive care 3601 = focus internal medicine 3603 = focus cardiology 3610 = focus paediatrics 3617 = focus neurosurgery 3618 = focus surgery 3621 = heart surgery 3622 = focus urology
3624 = focus gynaecology and obstetrics 3626 = focus otorhinolaryngology 3628 = focus neurology 3650 = focus surgery 3651 = thoracic heart surgery 3652 = cardiothroracic surgery
37 = other specialist departments 3750 = angiology

				3751 = radiology 3752 = palliative medicine 3753 = pain therapy 3754 = healing therapy department 3755 = spinal surgery 3756 = addiction medicine 3757 = abdominal surgery 3758 = weaning unit		
fab_max	specialist department with the longest duration of stay	а	8	see fab1 – fab100	yes	
tage_fa1 - tage_fa100	duration of stay in specialist department	n	8		yes	
tage_max	duration of stay in specialist department with the longest duration of stay	n	8		yes	In case of various specialist departments: Real number of spent days in fab_max.
dat_aufn_fa1 - dat_aufn_fa100	Date of admission in the specialist department	а	8	date in format YYYYMMDD 9999999 = unknown	yes	This further information on FAB-codes variables is not available as checked for plausibility. Therefore, this information only contains valid values at FAB-codes, which are not adjusted in the process of plausibility checks. FAB-codes, which have been adjusted due to plausibility checks, contain "99999999" in the according further information.
zeit_aufn_fa1 - zeit_aufn_fa100	Time of admission in the specialist department	а	8	time in format hhmm	yes	This further information on FAB-codes is not available as checked for plausibility. Therefore, this information only contains valid values at FAB-codes, which are not adjusted in the process of plausibility checks. FAB-codes, which have been adjusted due to plausibility checks, contain "9999" in the according further information.
dat_entl_fa1 - dat_entl_fa100	Date of transfer out of the specialist department	а	8	date in format YYYYMMDD	yes	This further information on FAB codes variables is not available as checked for plausibility. Therefore, this information only contains valid values at FAB-codes, which are not adjusted in the process of plausibility checks. FAB-codes, which have been adjusted due to plausibility checks, contain "99999999" in the according further information.
zeit_entl_fa1 - zeit_entl_fa100	Time of transfer out of the specialist department	а	8	time in format hhmm	yes	This further information on FAB-codes is not available as checked for plausibility. Therefore, this information only contains valid values at FAB-codes, which are not adjusted in the process of plausibility checks. FAB-codes, which have been adjusted due to plausibility checks, contain "9999" in the according further information.
typ_abt	Type of department	n	3	1 = Main department only 2 = Document department only 3 = only special equipment 4 = several different assignments		

abt art1 -	department category	а	8	HA = main department	yes	
abt_art100				BA = occupancy department	1	
				BE = special department		
ik	Hospital-ID (anonymised)	а	9			
fall_nr	number of case (anonymised)	n	8			
entl_ort	Discharging facility (6-digits) (anonymised)	n	6			A distinction is only necessary if a hospital has got various locations and accounts under a consistent hospital-ID. Otherwise, data is containing a zero.
entl_ort9	Discharging facility (9-digits) (anonymised)	а	9			A distinction is only necessary if a hospital has got various locations and accounts under a consistent hospital-ID. Otherwise, data is containing a zero.
auf_monat	month of hospital admission	n	3	two-digit month specification		
aufn_jahr	year of hospital admission	n	4	four-digit year specification		
dat_aufn	date of hospital admission	а	8	date in format YYYYMMDD		_
zeit_aufn	time of hospital admission	а	4	time in format hhmm		
dat_entl	date of discharge from hospital	а	8	date in format YYYYMMDD		
zeit_entl	time of discharge from hospital	а	4	time in format hhmm		
tage	Period of hospitalisation (day cases are calculated as one day)	n	8			
typ_vwd	Type of persiod of hospitalisation	n	3	01 =day case = 1 02 = days = 1 03 = days = 2 04 = days = 3 05 = days = 4 06 = days = 5 07 = days = 6 08 = days = 7 09 = days <= 9 10 = days <= 12 11 = days <= 14 12 = days <= 21 13 = days <= 28 14 = days <= 35 15 = days <= 42 16 = days <= 182 18 = days <= 365 10 = days <= 365		
std fall	day case	n	3	19 = days <= 99999 1 = yes		
ota_iaii	day case	l ''		2 = no		

cm	Daymix (DM)	n	8		The Daymix is the sum of the day-related valuation ratios including the supplementary daily charges.
cm_n	valid cases (counter variable for the Daymix)	n	8		Counter variable, which takes the value 1, if cm and cm_vol show valid values.
cm_vol	Daymix-revenue in euros	n	8		The Daymix-revenue is calculated by the product of the daymix and the annually weighted base charge value according to the performance-based psych hospital comparison.

#### 2.2 Comparability of characteristics over time

The characteristics are basically comparable over time. Please note that some variables do not occur in all reference years. This is illustrated in the codebook for all reference years, which can be found at:

#### https://www.forschungsdatenzentrum.de/en/health/pepp

Please also note that the classifications, according to which the main and secondary diagnoses, operations and performed procedures are coded, change over time. Decisive for the respective reporting year is always the version of the classification valid for the survey year.

The ICD-10-GM classification of the main and secondary diagnoses relevant for the reporting year 2021 can be found using the following link:

https://www.dimdi.de/dynamic/en/classifications/icd/icd-10-gm/code-search/index.html

The operation and procedure code relevant for the reporting year 2021 can be found using the following link:

https://www.dimdi.de/dynamic/en/classifications/ops/code-search/index.html

### 2.3 Basic values of relevant characteristics and characteristic combinations

Federal State of patient	Count	Percent
Schleswig-Holstein	32.919	4,09
Hamburg	20.239	2,52
Lower Saxony	73.123	9,10
Bremen	7.594	0,94
North Rhine-Westphalia	185.716	23,10
Hessia	58.537	7,28
Rhineland-Palatinate	41.327	5,14
Baden-Württemberg	91.070	11,33
Bavaria	116.385	14,48
Saarland	10.441	1,30
Berlin	35.559	4,42
Brandenburg	24.390	3,03
Mecklenburg-Western Pomerania	17.598	2,19
Saxony	39.268	4.88
Saxony-Anhalt	22.397	2,79
Thuringia	22.608	2,81
Unknown	4.808	0,60
Sum	803.979	100

Federal State of hospital	Count	Percent
Schleswig-Holstein	35.208	4,38
Hamburg	20.794	2,59
Lower Saxony	71.166	8,85
Bremen	7.782	0,97
North Rine-Westphalia	181.525	22,58
Hessia	60.550	7,53
Rhineland-Palatinate	41.875	5,21
Baden-Württemberg	89.928	11,19
Bavaria	124.509	15,49
Saarland	10.197	1,27
Berlin	35.619	4,43
Brandenburg	24.152	3,00
Mecklenburg-Western Pomerania	17.408	2,17
Saxony	38.285	4,76
Saxony-Anhalt	21.966	2,73
Thuringia	23.015	2,86
Sum	803.979	100

Gender of patient	Count	Percent
Male	414.269	51,53
Female	389.710	48,47
Sum	803.979	100

Main diagnosis according to ICD-10-GM	Count	Percent
I. Certain infectious and parasitic diseases (A00 - B99)	28	0
II. Neologisms (C00 – D48)	9	0
IV. Endocrine, nutritional and metabolic diseases (E00 – E90)	80	0,01
V. Mental and behavioural disorders (F00 – F99)	787.620	97,97
VI. Diseases of the nervous system (G00 – G99)	15.837	1,97
IX. Diseases of the circulatory system (I00 – I99)	24	0
X. Diseases of the respiratory system (J00 – J99)	14	0
XI. Diseases of the digestive system (K00 – K93)	6	0
XVII. Congenital malformations, deformities and chromosomal anomalies (Q00 – Q99)	5	0
XVIII. Symptoms and abnormal clinical and laboratory findings not elsewhere classified (R00 – R99)	113	0,01
XIX. Injuries, poisoning, and certain other consequences of external causes (S00 – T98)	30	0
XX. – XII. Factors influencing health status and leading to use of health services; key for special purposes (U00 – Z99)	199	0,02

III. Diseases of the blood and haematopoietic organs and certain disorders involving the immune system (D50 – D90)  VIII. Diseases of the ear and mastoid process (H60 – H95)  XIII. Diseases of the musculoskeletal system and connective tissue (M00 – M99)  XIV. Diseases of the urogenital system (N00 – N99)  XV. Pregnancy, childbirth and puerperium (O00 – O99)	11	0
Sum	803.979	100

#### 2.4 Evaluable regional level

The lowest evaluable regional level is the federal state of the hospital or the patient. Under certain conditions, it is possible to link data at hospital level. The linkage is made by the RDC staff. It is not possible to analyse the data at hospital level. The corresponding information is deleted before the data is made available to the user.

#### 3 Practical advice

#### 3.1 Notes on secrecy

#### 3.1.1 Legal bases of statistical confidentiality

Confidentiality implies the certainty of absolute anonymity of the results of statistical analyses. In concrete terms, this means that confidentiality ensures that the published results cannot be used to draw conclusions about an individual case (e.g. person, company, institution). Statistical confidentiality is applied wherever statistical results or micro data leave the safe premises of official statistics.

Confidentiality in official statistics is governed by Section 16 of the Federal Statistics Act (Bundesstatistikgesetz, BstatG). It obliges the accomplishing authorities to keep information on personal and factual circumstances that was given for a federal statistic confidential as long as there are no contrary regulations. This is also referred to as statistical confidentiality. Statistical confidentiality obliges official statistics to protect the received information, i.e. to anonymise it in a way that does not allow for any inferences on the respective person/institution and the presented issues. Regarding informational self-determination, confidentiality is also of particular interest: Many surveys of official statistics are subject to the obligation to provide information. Thus, respondents are not free to decide for themselves whether they wish to pass information on. Official statistics must therefore ensure that the collected data cannot be attributed to any respondent.

However, the BStatG also intends for cases in which statistical secrecy does not apply. Section 16 of the BStatG sets out the exceptions to the obligation to confidentiality. Among others, it specifies the circumstances under which data from official statistics may be made accessible to scientists and which rules have to be observed thereby.

#### 3.1.2 Confidentiality of results

To ensure the legally prescribed confidentiality of individual cases in the data, all results from remote execution and safe centres have to be subjected to a check for confidentiality by the RDC before they are released to the user. The RDC thereby ensure that the results are absolutely anonymous and that a re-identification of individual respondents can be ruled out at human discretion. The specialist departments of the statistical offices act accordingly before results are published.

The RDC apply various confidentiality rules to ensure statistical confidentiality, each of which is individually tailored to the respective statistic. The brochure "Regulations on the analysis of micro data in the Research Data Centres of the Federal Statistical Office and the Statistical Offices of the Federal States" presents the most common rules for primary confidentiality. These rules are generally applied to all RDC statistics. The annex to this brochure contains information on which confidentiality rules apply to which statistics.

The brochure can be found here:

https://www.forschungsdatenzentrum.de/en/confidentiality

#### 3.1.3 Practical tips for avoiding confidentiality cases

Should confidentiality cases occur in the performed analyses then the RDC replaces these values with a blocking pattern to ensure confidentiality. Especially in cross tables many "holes" quickly appear in the results due to the necessary secondary blocking. Since a table cell once used for secondary blocking must also be blocked in all subsequent analyses (cross-table confidentiality) – even if it would not be necessary in the newly created table – it makes sense to ensure for all produced results that no confidential cases are generated. If confidential cases occur in an output, the supervising RDC is free to refuse the check and release of the output.

To avoid confidentiality cases in the analyses, you should always take care to ensure that your analyses are based on a sufficiently large numbers of cases. Should the number of cases be too small, we advise you to combine variable values to achieve a larger number of cases.

#### 3.2 FAQ

If you have any questions, please contact the RDC location listed in the imprint for technical information.

#### 3.3 Available tools

The SAS macro newvar can be used to flexibly create new dummy and sum variables based on secondary diagnoses as well as surgery and procedure keys. Depending on user-specific parameters, the macro selects an efficient method for creating new variables. The objective is to shorten the calculation time of the analyses. The SAS macro newvar was originally written for the DRG statistic but can be used analogously for the PEPP data. Further information about the SAS macro newvar can be found under the following link (unfortunately only in German):

https://www.forschungsdatenzentrum.de/sites/default/files/arbeitspapier-44.pdf

